FOREST PRODUCTS SUPPLY CO.

CATALOG











THE LEADING WHOLESALE DISTRIBUTOR OF BUILDING MATERIALS IN THE MIDWEST







PRODUCT CATALOG

Welcome to our Product Catalog. We have compiled a comprehensive list of everything we stock and sell. It encompasses over 2,000 different products that are available every single day. Of course, we also have the ability to special order just about anything; if it's wood, we can source it.

We're a family-run company that's been in the wood products industry for over a hundred years, and we're currently on our third generation of family ownership and management.

Our whole philosophy is to source the best building materials in the world and provide quick and reliable access to them for any sized job, big or small.

Thank you for your support!

FOREST PRODUCTS SUPPLY CO.

PAGE GUIDE

1 - 5: *Introduction*

6 - 8: *Commodity Lumber Products*

9 - 13: *Treated Lumber Products*

14 - 19: *Long Length Douglas Fir & Douglas Fir Timbers*

20 - 29: *OSB, Plywood, & Specialty Panels*

30 - 37: *Boards, Pattern Stock*

38 - 49: *Western Red Cedar*

50 - 57: *Deckorators Decking, Railing & Porch Floor*

58 - 70: *Engineered Wood - Featuring Trus Joist*

71 - 74: *House Wrap, Trim*

75 - 80: *Affinity Panelized Stone, Specialty Sidings*

81 - 86: *Concrete Forming Products*

REMANUFACTURING FACILITY

We have a full remanufacturing facility capable of Precision End Trimming lumber to exact lengths. We also have a comprehensive timber operation with state-of-the-art equipment that can resize and surface (S4S) both Douglas Fir and Western Red Cedar timbers.

P.E.T. SAW:





BEAM SAW AND PLANER:





OUR WEBSITE

www.fp-supply.com/omaha-resources.html



VISIT OUR WEBSITE FOR MORE INFORMATION ON ALL OF OUR PRODUCTS.

Simply go to www.fp-supply.com, and then go to resources and select Omaha.

Here you'll have detailed access to all of our products. Every product page includes relevant information you're looking for, including available sizes, photos, videos, PDF's of installation guides, product brochures, MSDS sheets, specifier's guides, and more.

The best part is that everything is designed for the dealer to be able to share with their customers, so we don't include any pricing on these pages. Use this as a selling tool and share these product pages and links with your customers to help close sales. It's also a mobile-friendly site so you can access this on a jobsite with a smartphone or tablet.

OUR POSTERS



We have created New Posters intended for product store signage.
Our new posters are designed to be both informative and eye-catching to help educate your customers and drive sales. They are available free of charge and are easy to put on a wall, corkboard, countertop, etc.

If you would like to request some posters for your store, go to https://www.fp-supply.com/omaha-fp-posters.html and fill out our online form or call us at (402) 415-0080.

The posters measure 20" x 30" and feature a QR code that can be scanned that takes the customer to our website for more comprehensive information.

Available Posters:

• *Pattern Stock*	• *Deckorators Decking*
• *PVC Exterior Moulding*	• *Douglas Fir Timbers*
• *Pine Plywood Siding*	• *Cedar Timbers*
• *Premium Boards*	• *GatorBar*
• *WynnWood Boards*	• *& More Coming Soon*

SPF STUDS & DIMENSIONAL LUMBER



Available Stud Sizes:

Item	Unit Size	Premium	Selects/Market
2x4x92-5/8"	294	☑	☑
2x4x96"	294	☑	
2x4x104-5/8"	294	☑	☑
2x4x116-5/8"	294	☑	☑
2x6x92-5/8"	189	☑	☑
2x6x96"	189	☑	
2x6x104-5/8"	189	☑	☑
2x6x116-5/8"	189	☑	☑

-Special trim sizes are available via a custom cut program at our Kansas City facility

Available Dimensional Sizes:

Item	Unit Size	Lengths	4-Square	Hiline	#2&btr
2 x 4	294	8' - 20'	☑	☑	☑
2 x 6	189	8' - 20'	☑	☑	☑

2X4X16 MERCER “SILVER BULLETS” SPF





Available Sizes:

Item	Actual Size	Grade Stamp	Unit Size	Species	KD HT Stamp
2x4x16 Silver Bullets	*1.5" x 3.5" x 16'*	*#3*	*294*	*Norway Spruce*	*Yes*

Features & Benefits:

-Excellent value for price

-Premium Norway Spruce fiber

-Excellent for plate framing, concrete forming, bracing, shoring, railing, purlins, packaging, and crating

-Vast majority of material within unit is premium 4-Square quality

-Standard US dimensions with paper wrapped bundles of 294 pieces

YELLOW PINE DIMENSION LUMBER



Available Sizes:

Item	Unit Size	Lengths	#1 YP	MSR 2400
2 x 4	208	8' - 20'	☑	☑
2 x 6	128	8' - 20'	☑	☑
2 x 8	96	8' - 20'	☑	☑
2 x 10	80	8' - 20'	☑	☑
2 x 12	64	8' - 20'	☑	☑

Features & Benefits:

-Superior strength to SPF and Douglas Fir; excellent for floor joists and roof trusses

-We carry the deepest inventory of MSR 2400 Yellow Pine

-Contact us for mill direct quotes

MCA TREATED LUMBER



Available Sizes:

Item	Grade	Lengths	Treatment	Color	Unit Size
2 x 4	#1 Yellow Pine	8' - 16'	MCA Ground Contact	Green	104
2 x 6	#1 Yellow Pine	8' - 20'	MCA Ground Contact	Green	64
2 x 8	#1 Yellow Pine	8' - 20'	MCA Ground Contact	Green	48
2 x 10	#1 Yellow Pine	8' - 20'	MCA Ground Contact	Green	40
2 x 12	#1 Yellow Pine	8' - 20'	MCA Ground Contact	Green	32
5/4 x 6	Premium	10' - 16'	MCA Ground Contact	Green	96
4 x 4	#1 Yellow Pine	8' - 10'	MCA Ground Contact	Green	65

Features & Benefits:

-Available in less than unit and job-pack quantities

-All MCA treated lumber is a .15 MCA Ground Contact treatment

-Light green treatment that naturally fades with time

CCA TREATED TIMBERS



Available Sizes:

Item	SKU	Lengths	Unit Size	Grade	Treatment
6 x 6 Treated	66_T1	8' -20'	32	#1 Ag/Structural	.60 CCA

Features & Benefits:

-Premium #1 Appearance Grade

-Strong .60 CCA Ground Contact treatment to prevent rot and decay

-Available in less than unit and job-pack quantities

-Custom sizes available on a special-order basis

SPECIAL ORDER

BIG V TONGUE & GROOVE TREATED





Available Sizes:

Item	Grade	Lengths	Treatment	Color	Unit Size
2 x 6 T&G	*#1 Yellow Pine*	*12' & 16'*	*MCA Ground Contact*	*Green*	*64*
2 x 8 T&G	*#1 Yellow Pine*	*12' & 16'*	*MCA Ground Contact*	*Green*	*48*

-Big V T&G allows boards to slide into place seamlessly despite any crook or bow

---

TREATED BOARDS, SPINDLES, FENCING





Available Sizes:

Item	Grade	Lengths	Treatment	Color	Unit Size
1 x 4 Boards	*#1 Yellow Pine*	*10', 12', 16'*	*MCA Ground Contact*	*Green*	*384*
1 x 6 Boards	*#1 Yellow Pine*	*10', 12', 16'*	*MCA Ground Contact*	*Green*	*256*
1 x 8 Boards	*#1 Yellow Pine*	*12', 16'*	*MCA Ground Contact*	*Green*	*192*
2 x 2 Spindles	*#1 Yellow Pine*	*36", 42", 8'*	*MCA Ground Contact*	*Green*	*360/192*
1 x 6 Dog Ear	*#1 Yellow Pine*	*6'*	*MCA Ground Contact*	*Green*	*240*

FIRE TREATED LUMBER





Available Sizes:

Interior Fire Treated

Item	SKU	Lengths	Grade	Application
2 x 4 Interior Fire Treated	*24_FT2*	*8', 10', 12', 16'*	*#2 Yellow Pine*	*Interior*
2 x 6 Interior Fire Treated	*26_FT2*	*8', 12', 16'*	*#2 Yellow Pine*	*Interior*
2 x 8 Interior Fire Treated	*28_FT2*	*12', 16'*	*#2 Yellow Pine*	*Interior*
2 x 10 Interior Fire Treated	*210_FT2*	*12', 16'*	*#2 Yellow Pine*	*Interior*
2 x 12 Interior Fire Treated	*212_FT2*	*12', 16'*	*#2 Yellow Pine*	*Interior*

Exterior Fire Treated

Item	SKU	Lengths	Grade	Application
2 x 4 Exterior Fire Treated	*24_FTX2*	*12', 16'*	*#2 Yellow Pine*	*Exterior*
2 x 6 Exterior Fire Treated	*26_FTX2*	*12', 16'*	*#2 Yellow Pine*	*Exterior*
2 x 8 Exterior Fire Treated	*28_FTX2*	*16'*	*#2 Yellow Pine*	*Exterior*
2 x 10 Exterior Fire Treated	*210_FTX2*	*12', 16'*	*#2 Yellow Pine*	*Exterior*
2 x 12 Exterior Fire Treated	*212_FTX2*	*12', 16'*	*#2 Yellow Pine*	*Exterior*

Features & Benefits:

-Available in both Interior and Exterior fire treated

-Fully pressure impregnated treatment; no surface coatings

-All board are individually stamped with fire treatment and rating

PREMIUM FURRING STRIPS



1x2x8 *1x3x8* *2x2x8*

Available Sizes:

Item	SKU	Unit Size	Grade	Species
1 x 2 x 8	*128FSP*	*648*	*Premium*	*SPF*
1 x 3 x 8	*138FSP*	*480*	*Premium*	*SPF*
2 x 2 x8	*228FSP*	*420*	*Premium*	*SPF*

Features & Benefits:

-Available in full units or half packs

-Premium grade with virtually no bark or wane

-Paper wrapped and sub-bundled

-Special order sizes and cuts are available in full unit quantities

LONG LENGTH DOUGLAS FIR



Available Sizes:

Item	Lengths	Unit Size	Grade	Finish	Species
2 x 6	22' - 28'	189	#2&btr	Kiln Dried	Douglas Fir
2 x 8	22' - 28'	126	#2&btr	Kiln Dried	Douglas Fir
2 x 10	22' - 28'	105	#2&btr	Kiln Dried	Douglas Fir
2 x 12	22' - 28'	84	#2&btr	Kiln Dried	Douglas Fir

Features & Benefits:

-Available in less than unit quantities

-Our longest available solid sawn material

-Excellent for roof rafters or long floor joists

DOUGLAS FIR TIMBERS





Available Sizes:

Item	Actual Size	Species	Grade	Lengths	Surface	Green/KD
4 x 4	4" x 4"	Douglas Fir	#1 FOHC	8' - 24' *	Rough Sawn & S4S	Green
4 x 6	4" x 6"	Douglas Fir	#1 FOHC	8' - 24' *	Rough Sawn & S4S	Green
4 x 8	4" x 8"	Douglas Fir	#1 FOHC	8' - 24' *	Rough Sawn & S4S	Green
4 x 10	4" x 10"	Douglas Fir	#1 FOHC	8' - 24' *	Rough Sawn & S4S	Green
4 x 12	4" x 12"	Douglas Fir	#1 FOHC	8' - 24' *	Rough Sawn & S4S	Green
6 x 6	6" x 6"	Douglas Fir	#1 FOHC	8' - 24' *	Rough Sawn & S4S	Green
6 x 8	6" x 8"	Douglas Fir	#1 FOHC	8' - 24' *	Rough Sawn & S4S	Green
6 x 10	6" x 10"	Douglas Fir	#1 FOHC	8' - 24' *	Rough Sawn & S4S	Green
6 x 12	6" x 12"	Douglas Fir	#1 FOHC	8' - 24' *	Rough Sawn & S4S	Green
6 x 16	6" x 16"	Douglas Fir	#1 FOHC	8' - 24' *	Rough Sawn & S4S	Green
8 x 8	8" x 8"	Douglas Fir	#1 FOHC	8' - 24' *	Rough Sawn & S4S	Green
8 x 12	8" x 12"	Douglas Fir	#1 FOHC	8' - 24' *	Rough Sawn & S4S	Green
8 x 16	8" x 16"	Douglas Fir	#1 FOHC	8' - 24' *	Rough Sawn & S4S	Green
10 x 10	10" x 10"	Douglas Fir	#1 FOHC	8' - 24' *	Rough Sawn & S4S	Green
12 x 12	12" x 12"	Douglas Fir	#1 FOHC	8' - 24' *	Rough Sawn & S4S	Green

Features & Benefits:

-Premium appearance grade timber that is 100% Free of Heart Center and Free of Wane

-Beautiful auburn coloring and even grain


-#1 Grade for predictable strength bearing and spans

-More affordable than comparable Western Red Cedar sizes

-Available in custom sizes and in an S4S finish

DOUGLAS S4S FIR TIMBERS





Available Sizes:

#1 FOHC Smooth S4S Timbers

Item	Actual Size	Species	Grade	Lengths	Surface	Green/KD
6 x 6	5-1/2" x 5-1/2"	Douglas Fir	#1 FOHC	8' - 20'	Smooth S4S	Green
8 x 8	7-1/2" x 7-1/2"	Douglas Fir	#1 FOHC	8' - 20'	Smooth S4S	Green

#2 Smooth S4S Timbers

Item	Actual Size	Species	Grade	Lengths	Surface	Green/KD
4 x 4	3-1/2" x 3-1/2"	Douglas Fir	#2	8' - 16'	Smooth S4S	Green
4 x 6	3-1/2" x 5-1/2"	Douglas Fir	#2	8' - 16'	Smooth S4S	Green
6 x 6	5-1/2" x 5-1/2"	Douglas Fir	#2	12' - 20'	Smooth S4S	Green

Features & Benefits:

-Factory Surfaced S4S Timbers

-Premium appearance grade timber that is 100% Free of Heart Center and Free of Wane

-Beautiful auburn coloring and even grain

-#1 Grade for predictable strength bearing and spans

DOUGLAS FIR APPEARANCE BOARDS



1x6



1x12

Available Sizes:

Item	Actual Size	Lengths	Finish	Kiln Dried
1 x 4 Doug Fir Appearance	7/8" x 3-1/2"	12', 16'	Rough Face (S1S2E)	Yes
1 x 6 Doug Fir Appearance	7/8" x 5-1/2"	12', 16'	Rough Face (S1S2E)	Yes
1 x 8 Doug Fir Appearance	7/8" x 7-1/4"	12', 16', 20'	Rough Face (S1S2E)	Yes
1 x 12 Doug Fir Appearance	7/8" x 11-1/4"	12', 16', 20'	Rough Face (S1S2E)	Yes

Features & Benefits:

-Tight knot appearance grade board

-Kiln Dried (12-15% moisture content)

-Rougher-headed face (smooth backside and two edges)

-Excellent price when compared to Cedar

-Full 7/8” thick

-Beautiful color, texture, and grain

T&G ROOF DECKING





Available Sizes:

Item	Lengths	Profile	Exposure	Coverage	Species	Grade
2x6 T&G Fir	*12', 16', 20'*	*T&G WP4*	*4-7/8"*	*246 LF/SQ*	*Fir & Larch*	*Select*

Features & Benefits:

-Great for roof decking, loft floors, and outdoor patios


-Face coverage = 4-7/8", so factor 246 LF per square

-Premium Select grade for appearance and strength. Beautiful color, grain, and knot structure.

-Simple span of 6'-8' is easily achievable, but always check with local designs and load factors

WOODTONE STRUCTURAL POSTS






8x8

Actual: 7 1/4" x 7 1/4"

Inside: 4 1/4" x 4 1/4"



6x6

Actual: 5 1/2" x 5 1/2"

Inside: 2 5/8" x 2 5/8"

Available Sizes:

Item	Actual Dimension	Lengths	Unit Size	Species	Texture	Finish
6 x 6 Primed SPF	*5-1/2" x 5-1/2"*	*10' & 12'*	*45*	*SPF*	*Resawn*	*Primed*
8 x 8 Primed SPF	*7-1/4" x 7-1/4"*	*10' & 12'*	*28*	*SPF*	*Resawn*	*Primed*
6 x 6 Cedar	*5-1/2" x 5-1/2"*	*10' & 12'*	*45*	*Cedar*	*Resawn*	*Raw Cedar*
8 x 8 Cedar	*7-1/4" x 7-1/4"*	*10' & 12'*	*28*	*Cedar*	*Resawn*	*Raw Cedar*

Features & Benefits:

-Engineered to eliminate heavy checking, splits, warp, twist, and bow

-Lightweight and easy to position

-Hollow core allows for electrical to be run through the post

-Available in a primed and paint ready SPF, and a raw Western Red Cedar

-Fully structural with load tables that can be designed into structural support posts

OSB PANELS



Item	Dimension	Unit Size	Rating
1/4" Southern	*4' x 8'*	*136*	*Exposure 1*
7/16" Southern - no lines	*4' x 8'*	*84*	*Exposure 1*
7/16" Northern	*4' x 8'*	*78*	*Exposure 1*
7/16" Radiant Barrier	*4' x 8'*	*78*	*Exposure 1*
7/16" 9' Southern	*4' x 9'*	*82*	*Exposure 1*
7/16" 10' Southern	*4' x 10'*	*87*	*Exposure 1*
15/32" Southern	*4' x 8'*	*74*	*Exposure 1*
1/2" Northern	*4' x 8'*	*68*	*Exposure 1*
15/32" Struc-1	*4' x 8'*	*74*	*Struc-1*
15/32" Northern	*4' x 8'*	*72*	*Exposure 1*
19/32" Southern	*4' x 8'*	*63*	*Exposure 1*
5/8" Northern	*4' x 8'*	*54*	*Exposure 1*
19/32" Northern	*4' x 8'*	*54*	*Exposure 1*
23/32" Square Edge	*4' x 8'*	*48*	*Exposure 1*
23/32" Edge T&G	*4' x 8'*	*48*	*Exposure 1*
7/8" Gold T&G	*4' x 8'*	*39*	*Exposure 1*

WEYERHAEUSER DIAMOND SUBFLOOR



Available Size:

Item	Panel Size	Unit Size	Warranty	Drainage System
3/4 Diamond Sheathing	*4' x 8'*	*48*	*50 Year*	*Yes*

Features & Benefits:

-Engineered to compete with the best floor panels on the market in strength, nail retention and weather resistance.

-Builders use our easy-fit tongue and-groove edge for hassle-free installations.

-Down Pore® self-draining technology reduces rainwater ponding on the jobsite.

-Use in conjunction with TJI® Joists for additional **TJ-Pro™ Rating** points.

-Buy with confidence: limited lifetime warranty, a 500-day 'no-sand' guarantee, and backed by Weyerhaeuser's 118-year legacy of quality and customer service.

-Structural 1 Rated.



EDGE GOLD T&G SUBFLOOR



Available Sizes:

Item	Panel Size	Unit Size	Fastner Grid	Drainage System
3/4" T&G	*4' x 8'*	*48 pcs*	*Yes*	*Yes*
Special Order:				
7/8" T&G	*4' x 8'*	*39 pcs*	*Yes*	*Yes*
1-1/8" T&G	*4' x 8'*	*30 pcs*	*Yes*	*Yes*

Features & Benefits:

-Pound for pound the best bang for your buck in sub-flooring

-50 Year Warranty and a 200 day no-sand guarantee

-Down Pore Drainage System ensures that water properly drains, protecting against edge swell and sanding before installing hardwood flooring or tile

-Fastener Grid that ships face-up, ready for easy and accurate installation

-Roughly 20% less than the cost of Advantech

MDO & HDO PLYWOOD





Available Sizes:

Item	Thickness	Panel Size	Unit Size	Species
1/2" MDO 1 Side	*15/32"*	*4' x 8'*	*66*	*Douglas Fir*
3/4" MDO 1 Side	*23/32"*	*4' x 8'*	*44*	*Douglas Fir*
1/2" HDO 1 Side	*15/32"*	*4' x 8'*	*66*	*Douglas Fir*
3/4" HDO 1 Side	*23/32"*	*4' x 8'*	*44*	*Douglas Fir*

Features & Benefits

-MDO panels have a cardboard-like fiber overlay that takes paint exceptionally well

-MDO panels are commonly used for exterior signs

-HDO panels have an extremely tough and durable resin-impregnated fiber face

-HDO panels are excellent for concrete forming and industrial applications with frequent chemical or gas contact

-All MDO and HDO panels contain 100% water-resistant adhesives

YELLOW PINE PLYWOOD



Available Sizes:

Item	Thickness	Size	Unit Size	Species
3/8" PRS	11/32"	4' x 8'	90	Yellow Pine
1/2" PRS 4-Ply	19/32"	4' x 8'	70	Yellow Pine
5/8" PRS 4-Ply	19/32"	4' x 8'	56	Yellow Pine
3/4" PRS	19/32"	4' x 8'	46	Yellow Pine
3/4" Sturd-I-Floor T&G	19/32"	4' x 8'	48	Yellow Pine
1/2" PRS Struc 1	15/32"	4' x 8'	70	Yellow Pine
5/8" PRS Struc 1	19/32"	4' x 8'	56	Yellow Pine
3/4" PRS Struc 1	19/32"	4' x 8'	56	Yellow Pine
3/4" BBOES Plyform	23/32"	4' x 8'	50	Import Pine

Features & Benefits:

-Premium mill quality

-GP, Hunt, and Weyerhaeuser stock

-Mill direct quotes available

SANDED PLYWOOD

AC Radiata



Available Sizes:


1/4" AC Radiata	*1/4"*	*4' x 8'*	*160*	*Radiata Pine*	*AC*
3/8" AC Radiata	*11/32"*	*4' x 8'*	*108*	*Radiata Pine*	*AC*
1/2" AC Radiata	*15/32"*	*4' x 8'*	*80*	*Radiata Pine*	*AC*
5/8" AC Radiata	*19/32"*	*4' x 8'*	*65*	*Radiata Pine*	*AC*
3/4" AC Radiata	*23/32"*	*4' x 8'*	*49*	*Radiata Pine*	*AC*
1" AC Radiata	*31/32"*	*4' x 8'*	*39*	*Radiata Pine*	*AC*

Features & Benefits:

-Excellent for painting and finished work like cabinetry and shelving

-Available in less than unit quantities

PINE PLYWOOD SIDING



Available Sizes:

Item	Thickness	Size	Unit Size	Species	Grade
3/8" 2" o.c. Beadboard	*11/32"*	*4' x 8'*	*108*	*Radiata Pine*	*Premium*
3/8" 1.6" o.c.	*11/32"*	*4' x 8'*	*90*	*Pine*	*Premium*
5/8" 4" o.c. T1-11	*19/32"*	*4' x 8'*	*29*	*Pine*	*Premium*
5/8" 8" o.c. T1-11	*19/32"*	*4' x 8'*	*29*	*Pine*	*Premium*
5/8" 12" o.c. RB&B	*19/32"*	*4' x 8'*	*29*	*Pine*	*Premium*

Features & Benefits:

-Easy to install shiplap panels

-Fully approved for exterior siding

-Available in premium grade, and less than unit quantities

-Premium will have six repair patches or less and be both painted or stained.

PRESSURE TREATED PLYWOOD



Available Sizes:

Item	Actual Thickness	Panel Size	Unit Size	Treatment
1/2" Treated	*15/32"*	*4' x 8'*	*70*	*CCA .60*
5/8" Treated	*19/32"*	*4' x 8'*	*58*	*CCA .60*
3/4" Treated	*23/32"*	*4' x 8'*	*46*	*CCA .60*

Features & Benefits:

-Prevents rot and decay

-Excellent for exterior or moist and damp applications

-Available in less than unit quantities

FIRE TREATED PLYWOOD



PYRO-GUARD®

EXTERIOR FIRE-X®

Available Sizes:

Item	Application	Panel Size	Treatment	Edge Profile
1/2" CD	*Interior*	*4' x 8'*	*Fire-Retardant*	*Square Edge*
5/8" CD	*Interior*	*4' x 8'*	*Fire-Retardant*	*Square Edge*
3/4" CD	*Interior*	*4' x 8'*	*Fire-Retardant*	*Square Edge*
3/4" AC	*Interior*	*4' x 8'*	*Fire-Retardant*	*Square Edge*
3/4" SIF T&G	*Interior*	*4' x 8'*	*Fire-Retardant*	*Tongue & Groove*
1/2" CD	*Exterior*	*4' x 8'*	*Fire-Retardant*	*Square Edge*
5/8" CD	*Exterior*	*4' x 8'*	*Fire-Retardant*	*Square Edge*
3/4" CD	*Exterior*	*4' x 8'*	*Fire-Retardant*	*Square Edge*

Features & Benefits:

-Fully pressure impregnated treatment, no top-coatings or false protection

-Class A Fire Treated

-When exposed to fire, non-combustible gas and water vapor are produced and a layer of protective char forms

MDF PANELS





Available Sizes:

Item	Actual Size	Brand	Unit Size	Finish	Moisture Content
1/4" MDF	*1/4" x 49" x 97"*	*Georgia Pacific (Southern)*	*96*	*Raw MDF*	*4-6%*
1/2" MDF	*1/2" x 49" x 97"*	*Georgia Pacific (Southern)*	*30*	*Raw MDF*	*4-6%*
3/4" MDF	*3/4" x 49" x 97"*	*Georgia Pacific (Southern)*	*32*	*Raw MDF*	*4-6%*
11/16" MDF	*11/16" x 49" x 97"*	*Georgia Pacific (Southern)*	*35*	*Raw MDF*	*4-6%*
1" MDF	*1" x 49" x 97"*	*Georgia Pacific (Southern)*	*29*	*Raw MDF*	*4-6%*

Features & Benefits:

-Premium MDF panels manufactured to exacting standards

-Commonly used for furniture, cabinets, door parts, store fixtures, toys & musical instruments

-Can be routed, cut, and ripped to size

-Perfectly flat surface that takes paint extremely well

BOARDS AND PATTERN STOCK

We've developed a portfolio of high-quality boards and pattern stock that are well designed, affordable, and easy to sell.

The WynnWood Boards and Pattern Stock Advantage

-Premium Canadian ESLP that supersedes standard #2 grading rules

-A 1/16th micro-eased edge on all S4S boards, and the highest quality finish of any board or pattern stock in North America

-Convenient unit sizes and excellent packaging and sub-bundling

-The widest mix of available product and pattern for any conceivable project



Boards

- Premium #2 Canfor Wynnwood Premier
- Clear Finger Jointed Double Primed Radiata Pine



Nickel Gap/V-Groove

- Premium #2 WynnWood Premier
- Clear Finger Jointed Double Primed Radiata Pine



Carsiding

- Premium #2 WynnWood Premier
- Endmatch - Omaha

CANFOR WYNNWOOD BOARDS





Available Sizes:

Item	Length	Unit Size	Grade	Finish	Species
1 x 4	*8' - 16'*	*588*	*#2 Premier*	*S4S Eased Edge*	*ESLP*
1 x 6	*8' - 16'*	*378*	*#2 Premier*	*S4S Eased Edge*	*ESLP*
1 x 8	*8' - 16'*	*294*	*#2 Premier*	*S4S Eased Edge*	*ESLP*
1 x 10	*8' - 16'*	*210*	*#2 Premier*	*S4S Eased Edge*	*ESLP*
1 x 12	*8' - 16'*	*168*	*#2 Premier*	*S4S Eased Edge*	*ESLP*

Features & Benefits:

-The highest quality finish of any board in North America

-Engelmann Spruce and Lodgepole Pine mix; small and limited knot structure


-Supersedes NLGA or WWPA grades with 50% less wane, almost no blue stain and strict limits on end splits.

-Micro-eased 1/16th-inch radius edge

-All boards are end waxed and stamped KDHT

-Sold by unit or buy the row.

PRIMED RADIATA PINE





Available Sizes:

Item	Actual Size	Lengths	Species	Grade	Finish
1 x 4 S4S	0.75" x 3.5"	12' & 16'	Radiata Pine	Clear FJ	Double Primed
1 x 6 S4S	0.75" x 5.5"	12' & 16'	Radiata Pine	Clear FJ	Double Primed
1 x 8 S4S	0.75" x 7.25"	12' & 16'	Radiata Pine	Clear FJ	Double Primed
1 x 12 S4S	0.75" x 11.25"	16'	Radiata Pine	Clear FJ	Double Primed

Features & Benefits:

-Imported Chilean Radiata Pine

-100% clear finger-jointed blocks

-Double primed boards featuring oil based first coat and acrylic latex second coat

-Excellent for interior trim

-One year warranty on primer, 10 year on substrate glue

MELAMINE SHELVING



Available Sizes:

Item	Thickness	Unit Size
11.25" x 12' Melamine Shelving	3/4"	48
15.25" x 12' Melamine Shelving	3/4"	36
23.25" x 12' Melamine Shelving	3/4"	34

****Thermally Fused Laminate, Particleboard Core, Good 2 side, square edge band.****

Applications:

-Commercial shelving

-Display systems

-Cabinets

-Furniture

-Shelving brackets

INDUSTRIAL BOARDS





Available Sizes:

Item	Lengths	Mill	Grade	Species	HT Stamp
1x4	*16'*	*WynnWood*	*#4 +*	*White Wood*	*Yes*

Features & Benefits:

-A mill downfall grade that contains a good mix of #3 and even #2 grade boards

-1x4 is an excellent solution for crating, roof purlins, and concrete forming

-Excellent price and value compared to #3 boards


-All boards are KDHT stamped

WP4/116 CARSIDING









Available Sizes:

Item	Lengths	Unit Size	Exposure	Coverage	Grade	Pattern
1x6 Carsiding	*8' - 16'*	*180*	*5"*	*240 LF/SQ*	*#2 Premier*	*WP4/116*
1x8 Carsiding	*8' - 16'*	*140*	*6.75"*	*180 LF/SQ*	*#2 Premier*	*WP4/116*

Features & Benefits:

-T&G for easy install

-Reversible - WP4/Pattern 116

-Versatile - can be painted, stained, or whitewashed

-More dimensionally stable and easier to paint than Yellow Pine

-Available in multiple lengths

-Multiple applications: interior paneling, porch ceilings, wainscoting, etc.

NICKEL GAP SHIPLAP






1x6 Shiplap

5" Exposure


240 LF per 100 square feet



1x8 Shiplap

6 ¾" Exposure

180 LF per 100 square feet





Available Sizes:

Item	Lengths	Unit Size	Exposure	Coverage	Grade	Finish
1x6 Primed Nickel Gap	*16'*	*63*	*5"*	*240 LF/SQ*	*Clear FJ Radiata*	*Double Primed*
1x8 Primed Nickel Gap	*16'*	*45*	*6.75"*	*180 LF/SQ*	*Clear FJ Radiata*	*Double Primed*
1x6 Raw Pine Nickel Gap	*8' - 16'*	*180*	*5"*	*240 LF/SQ*	*#2 Premier*	*Raw Pine*
1x8 Raw Pine Nickel Gap	*8' - 16'*	*140*	*6.75"*	*180 LF/SQ*	*#2 Premier*	*Raw Pine*

Features & Benefits:

-Raw Pine product is a #2 White Pine; can be stained, whitewashed, or painted

-Clear primed product is a double primed finger jointed Radiata Pine

WOODTONE PRE-FINISHED WALL & CEILING




V-GROOVE

A classic v-joint tongue and groove wood paneling profile.





Available Sizes:

Item	SKU	Actual Size	Lengths	Coverage	Species
1x6 V-Groove Pre-Finished	*WT1616V__*	*3/4" x 5-1/2"*	*16'*	*240 LF/SQ*	*#2 Prem ESLP*









Features & Benefits:

-Pre-stained material making for a streamlined and efficient install

-Premium #2 ESLP knotty substrate

-End-matched and all 16’ lengths

-Intended for interior or protected exterior applications

WESTERN RED CEDAR



Cedar is in our DNA, and we focus only on sourcing high-quality material from the best manufacturers in the world.

Factors we look for are:

Fiber Quality – We stock premium coastal Western Red Cedar

Color – The darker and richer, the better

Texture & Grain – We want to showcase the natural beauty of Cedar

Assortment – We have the deepest inventory of on-ground Cedar

OUR PROUD PARTNER:

Western Forest Products Inc.
DEFINING A HIGHER STANDARD™

5/4 X 6 WESTERN RED CEDAR DECKING



Available Sizes:

Item	Actual Size	Lengths	Species Grade
5/4 x 6 Cedar	*1-1/32" x 5-1/2"*	*8' - 20'*	*Western Red Cedar Architectural Knotty*

Features & Benefits:

-Roughly 25% less than 2x6 Cedar decking

-Contains natural oils and resins that make it resistant to rot, decay, and insects

-All knots are sound and tight

-Maximum knot size = 2 3/4

CEDAR BOARDS





Available Sizes:

Item	Actual Size	Lengths	Finish	Grade
1x4	*3/4" x 3-9/16"*	*8' -20'*	*Smooth/Rough*	*Appearance*
1x6	*3/4" x 5-9/16"*	*8' -20'*	*Smooth/Rough*	*Appearance*
1x8	*3/4" x 7-3/8"*	*8' -20'*	*Smooth/Rough*	*Appearance*
1x12	*3/4" x 11-3/8"*	*8' -20'*	*Smooth/Rough*	*Appearance*

Features & Benefits:

-True Western Red Cedar milled in British Columbia

-Appearance Grade no-hole knotty boards; straight, uniform grain and even texture

-"No Prior Select" meaning that grades are *not pulled out* during production

-S1S2E (smooth one side, two edges)

CEDAR TIMBERS





Available Sizes:

Item	Actual Size	Lengths	Grade	KD/Green
4 x 4 Rough	3-9/16" x 3-9/16"	8', 10', 12'	Appearance Grade	Green
4 x 6 Rough	4" x 6"	8' - 20'	Appearance Grade	Green
4 x 8 Rough	4" x 8"	8' - 20'	Appearance Grade	Green
4 x 10 Rough	4" x 10"	8' - 20'	Appearance Grade	Green
4 x 12 Rough	4" x 12"	8' - 20'	Appearance Grade	Green
6 x 6 Rough	6" x 6"	8' - 20'	Appearance Grade	Green
6 x 8 Rough	6" x 8"	8' - 20'	Appearance Grade	Green
8 x 8 Rough	8" x 8"	8' - 20'	Appearance Grade	Green
8 x 12 Rough	8" x 12"	8' - 20'	Appearance Grade	Green
4 x 4 Smooth	3-1/4" x 3-1/4"	8', 10', 12'	Appearance Grade	Green
6 x 6 Smooth	5-1/2" x 5-1/2"	8' - 20'	Appearance Grade	Green

Features & Benefits:

-Premium coastal Western Red Cedar milled in British Columbia

-Appearance grade no hole knotty cedar with four square edges

-Great for both interior appearance applications, and exterior structural posts/beams

CEDAR DIMENSIONAL



Available Sizes:

Item	Actual Size	Lengths	KD/Green	Grade
2x2 Smooth	1-9/16" x 1-9/16"	42", 48", 8', 12'	Green	Western Forest Products
2x4 Smooth	1-9/16" x 3-9/16"	8' - 20'	Green	Western Forest Products
2x6 Smooth	1-9/16" x 5-9/16"	8' - 20'	Green	Western Forest Products
2x8 Smooth	1-9/16" x 7-3/8"	8' - 20'	Green	Western Forest Products
2x10 Smooth	1-9/16" x 9-3/8"	8' - 20'	Green	Western Forest Products
2x12 Smooth	1-9/16" x 11-3/8"	8' - 20'	Green	Western Forest Products
2x4 Rough	1-3/4" x 3-3/4"	8' - 20'	Green	Western Forest Products
2x6 Rough	1-3/4" x 5-3/4"	8' - 20'	Green	Western Forest Products
2x8 Rough	1-3/4" x 7-3/4"	8' - 20'	Green	Western Forest Products
2x10 Rough	1-3/4" x 9-3/4"	8' - 20'	Green	Western Forest Products
2x12 Rough	1-3/4" x 11-3/4"	8' - 20'	Green	Western Forest Products

Features & Benefits:

-Premium coastal Western Red Cedar milled in British Columbia

-All Cedar is a no-hole knotty appearance grade with extremely limited wane

-Rough cedar is a full rough cut and run through a rougher header for a high-quality appearance

CEDAR DOG EAR FENCING



Available Sizes:

Item	SKU	Actual Size	Finish	Unit Size	Species
3/4" x 4' Dog Ear	*144CDE*	*3/4" x 3-1/2" x 4'*	*Rough/Rough*	*450*	*Western Red Cedar*
3/4" x 6' Dog Ear	*166CF*	*3/4" x 5-1/2" x 6'*	*Rough/Rough*	*256*	*Western Red Cedar*


Features & Benefits:

-Contains natural oils and resins that make it resistant to rot and decay

-Tall and Dog Eared Trimmed

-Full 3/4" thick fencing is extremely durable and stout - excellent for backyards with kids and kicked soccer balls and toys

PRIMED CEDAR BEVEL SIDING



Available Sizes:

Item	Actual Size	Lengths	Exposure	Finish	Grade	Seasoning
1/2" x 6" Primed Bevel	*1/2" x 5-3/8"*	*16'*	*4"*	*Primed*	*Clear VG FJ*	*Kiln Dried*

Features & Benefits:


-Cedar bevel siding in prime 16' lengths

-Pre-primed and ready to paint

-Fully reversible, rough sawn face, smooth backside

-Lightweight and easy to install

CEDAR BEVEL SIDING



Available Sizes:

Item	Exposure	Coverage	Lengths	Kiln Dried	Grade
1/2" x 6" Clear	*4"*	*300 LF/SQ*	*3' - 20' R/L*	*Yes*	*Clear*
1/2" x 8" Clear	*6"*	*200 LF/SQ*	*3' - 20' R/L*	*Yes*	*Clear*
11/16" x 8" Knotty	*6"*	*200 LF/SQ*	*8' - 20'*	*Yes*	*Arch. Knotty*

Features & Benefits:

-Premium coastal Western Red Cedar siding milled in British Columbia

-Contains natural oils and resins that make it resistant to rot, decay, and insects

-Kiln dried, lightweight, and easy to work with

CEDAR V-JOINT SIDING






Available Sizes:

Item	Actual Size	Finish	Coverage	Lengths	KD/Green	Grade
1x6 V-Joint	11/16" x 5-3/8"	*Smooth/Rough*	*240 LF/SQ*	*8' - 20'*	*KD*	*Architect Knotty*

CEDAR CHANNEL SIDING





Available Sizes:

Item	Exposure	Finish	Coverage	Lengths	KD/Green	Grade
1x8 Channel	6-1/4"	*Rough*	*195 LF/SQ*	*8' - 20'*	*KD*	*Architect Knotty*


CEDAR NICKEL GAP

Rough Face



Smooth Face





Elite Fineline (⅛th Gap) Paneling

Available Sizes:

Item	Lengths	Exposure	Coverage	Finish	Species
1x6 Fineline	*8' - 16'*	*5"*	*240 LF/SQ*	*Smooth/Rough*	*Western Red Cedar*
1x8 Fineline	*8' - 16'*	*6-3/4"*	*180 LF/SQ*	*Smooth/Rough*	*Western Red Cedar*

Features & Benefits:

-Modern tongue & groove profile with a built-in 1/8” nickel gap

-Premium coastal Western Red Cedar

-Reversible product with a rough sawn face and smooth back

WAVY EDGE CEDAR SIDING





Available Sizes:

Item	Actual Dimension	Lengths	Exposure	Coverage
1x10 Wavy Edge	15/16" x 10"	8' -16'	7.5"	160 LF/SQ

Features & Benefits:

-Coastal Western Red Cedar milled in British Columbia

-Tight-knot appearance grade

-Natural and variable wavy edge for an authentic rustic look

CEDAR SHIMS



Available Sizes:

Item	Actual Dimensions	Bundle Size	Species
Cedar Shims	*15" x 1 3/8" x 3/8" to 1/16"*	*42*	*Eastern White Cedar*

Features & Benefits:

-High-quality cedar shims used for door, window and cabinet installation & more

-Shim shingles are necessary for leveling or making materials plumb and square

-Solid pieces of cedar, 15 inches long, snap easily for use and eliminate waste

-Made from durable eastern white cedar, resistant to bug infestation

DECKORATORS DECKING - VENTURE


A wood-plastic composite deck board that offers the best combination of value and performance. Venture Decking features a natural woodgrain in two colors Saltwater (gray) and Sandbar (brown).

Available Sizes:


Line	Type	Item	Actual Size	Unit Size
Venture	*Grooved Deck Board*	*5/4 x 6 x 12' Grooved*	*15/16" x 5-1/2" x 12'*	*48*
Venture	*Grooved Deck Board*	*5/4 x 6 x 16' Grooved*	*15/16" x 5-1/2" x 16'*	*48*
Venture	*Grooved Deck Board*	*5/4 x 6 x 20' Grooved*	*15/16" x 5-1/2" x 20'*	*48*
Venture	*Solid Deck Board*	*5/4 x 6 x 16' Solid*	*15/16" x 5-1/2" x 16'*	*48*
Venture	*Solid Deck Board*	*5/4 x 6 x 20' Solid*	*15/16" x 5-1/2" x 20'*	*48*
Venture	*Fascia*	*1 x 12 x 12' Fascia*	*1/2" x 11-1/4" x 12'*	*40*

25 YEAR STRUCTURAL
25 YEAR STAIN & FADE
25 YEAR REMOVAL & REPLACEMENT
LIMITED WARRANTY

Available Colors:



Available Profiles:



Features & Benefits:

-Scratch-resistant polyethylene cap with a strong, dense composite core

-Capped on three sides and through the groove

-Fluted backside; lightweight and easy to maneuver and position

-Easy to clean with soap and water, and resistant to rot, mold, and scratches

-Spans 16" on-center

-Backed by a 25-year limited warranty: 25-year Structural, 25-year Stain & Fade, and 25- year Limited Removal & Replacement Warranty

DECKORATORS DECKING - VISTA

A wood-plastic composite deck board with the look of exotic hardwoods without the maintenance. Deckorators Vista Line comes in four different colors Driftwood, Silverwood, Ironwood, and Dunewood.

Available Sizes:

Line	Type	Item	Actual Size	Unit Size
Vista	*Grooved Deck Board*	*5/4 x 6 x 12' Grooved*	*7/8" x 5-1/2" x 12'*	*48*
Vista	*Grooved Deck Board*	*5/4 x 6 x 16' Grooved*	*7/8" x 5-1/2" x 16'*	*48*
Vista	*Grooved Deck Board*	*5/4 x 6 x 20' Grooved*	*7/8" x 5-1/2" x 20'*	*48*
Vista	*Solid Deck Board*	*5/4 x 6 x 16' Solid*	*7/8" x 5-1/2" x 16'*	*48*
Vista	*Solid Deck Board*	*5/4 x 6 x 20' Solid*	*7/8" x 5-1/2" x 20'*	*48*
Vista	*Riser*	*1 x 8 x 12' Riser*	*1/2" x 8" x 12'*	*40*
Vista	*Fascia*	*1 x 12 x 12' Fascia*	*1/2" x 11-1/4" x 12'*	*40*

25 YEAR STRUCTURAL
25 YEAR STAIN & FADE
25 YEAR REMOVAL & REPLACEMENT
LIMITED WARRANTY

Available Colors:



Available Profiles:



Features & Benefits:

-Now manufactured with Enhanced Traction for increased slip resistance

-Scratch-resistant cap with a strong, dense composite core

-Excellent value; works for a wide range of budgets and home styles

-Multi-tone colors for an authentic and real wood-like look

-Industry-leading warranty: 25-year Structural, 25-year Stain & Fade, and 25-year Removal & Replacement

DECKORATORS DECKING - VOYAGE

A mineral-based composite technology line, which provides the industry's best strength-to-weight ratio. Featuring a fiber-like structure similar to wood, Voyage has unmatched strength that is nearly 35% lighter than traditional composites and similar in weight to PVC.

Available Sizes:

Line	Type	Item	Actual Size	Unit Size
Voyage	Grooved Deck Board	5/4 x 6 x 12' Grooved	7/8" x 5-1/2" x 12'	48
Voyage	Grooved Deck Board	5/4 x 6 x 16' Grooved	7/8" x 5-1/2" x 16'	48
Voyage	Grooved Deck Board	5/4 x 6 x 20' Grooved	7/8" x 5-1/2" x 20'	48
Voyage	Solid Deck Board	5/4 x 6 x 16' Solid	7/8" x 5-1/2" x 16'	48
Voyage	Solid Deck Board	5/4 x 6 x 20' Solid	7/8" x 5-1/2" x 20'	48
Voyage	Riser	1 x 8 x 12' Riser	7/16" x 8" x 12'	40
Voyage	Fascia	1 x 12 x 12' Fascia	7/16" x 11-1/4" x 12'	40
Voyage	Dark Slate Accent Board	5/4 x 6 x 21' Solid	7/8" x 5-1/2" x 21'	48
Voyage	Dark Slate Accent Riser	1 x 8 x 12' Riser	7/16" x 8" x 12'	40
Voyage	Dark Slate Accent Fascia	1 x 12 x 12' Fascia	7/16" x 11-1/4" x 12'	40



Available Colors:



Available Profiles:



Features & Benefits:

-Mineral Based Composite technology

-Virtually zero thermal expansion and contraction

-Incredible strength and durability; virtually impossible to crack and break

-Lightweight easy to work with and install; 35% lighter than traditional wood plastic composites

-Approved for ground contact and water installation

-Won't splinter, sag, chalk, or crack

-Stain and fade-resistant cap stock

-Can be used as residential and commercial cladding

DECKORATORS ALX CONTEMPORARY RAILING

Pre-assembled railing with a sleek and modern appearance, with a beautiful powder-coated finish. This deck railing is engineered to resist scratches while enduring humidity and weather changes without corroding.




- Welded panels for strength and ease of installation
- 6' & 8' on-center lengths when installing with 2-1/2" posts'
- 6' & 8' adjustable stair rail panels
- Square balusters

Available in:



Textured Black | **Textured White** | **Textured Bronze** | **Textured Weathered Brown**



ALX Contemporary Railing

A pre-assembled and welded aluminum railing system

Posts Kits

Each post kit includes (1) Powder coated aluminum post, welded to (1) aluminum post base, (1) powder coated post base trim, (1) powder coated post cap and skirt, and leveling plates and screws. Standard 2.5" post bases measure 5" x 5"; oversized 4" post bases measure 6.5" x 6.5".

Section	SKU	Actual Size	Item	Unit Size
Rail Posts	D39TBLKPK	2-1/2" x 2-1/2" x 39" Tall	Square Black 39" Post Kit For Railing Section	42
Stair Posts	D49TBLKPK	2-1/2" x 2-1/2" x 49" Tall	Square Black 49" Post Kit For Stair Section	42
4x4 Rail Posts	D4439TBLKPK	4" x 4" x 39" Tall	4x4 Square Black 39" Post Kit For Railing Section	25
4x4 Stair Posts	D4449TBLKPK	4" x 4" x 49" Tall	4x4 Square Black 49" Post Kit For Stair Section	25

Railing Kits

Section	SKU	Actual Size	Item	Unit Size
Each kit includes 1 pre-assembled welded 6' on center rail, using 2 68.5" long rails, and 15 30" rectangle balusters. Includes Brackets				
6' Railing	D6OCTBLK	6' o.c. Rail Section, 36" Tall	ALX Contemporary 6' Textured Black Rail	16
Each kit includes 1 pre-assembled welded 8' on center rail, using 2 92.5" long rails, and 20 30" rectangle balusters. Includes Brackets				
8' Railing	D8OCTBLK	8' o.c. Rail Section, 36" Tall	ALX Contemporary 8' Textured Black Rail	16
Rackable stairs. Each 6' railing kit includes one rackable and pre-assembled 6' rail section (two 72" rails, 15 35" balusters, and brackets)				
6' Stair Railing	D6STOCTBLK	6' o.c. Rail Section, 36" Tall	ALX Contemporary 6' Textured Black Stair	16
Rackable stairs. Each 8' railing kit includes one rackable and pre-assembled 8' rail section (two 96" rails, 20 35" balusters, and brackets)				
8' Stair Railing	D8STOCTBLK	8' o.c. Rail Section, 36" Tall	ALX Contemporary 8' Textured Black Stair	16

Bracket Template

Rail Bracket Template can be used for both 2.5" x 2.5" and 4" x 4" posts. Also works for both 36" and 42" rail heights.

Section	SKU	Item	Unit Size
Rail Bracket Template	DALXCTEMP	ALX Contemporary Rail Bracket Template	1

Additional Brackets


Section	SKU	Item	Unit Size
Rail Brackets	DT2PBLK	2 Piece Top & Bottom Rail Bracket - Black	1
Stair Brackets	DTBLKSTR	Angle/Swivel Top & Bottom Stair Brackets - Black	1

DECKORATORS CABLE RAILING

With Deckorators® Contemporary Cable Deck Railing, you can add a sleek, finished line to the edges of your deck, making your outdoor space safe and enjoyable year-round. Clean, minimalist lines without blocking the view.



- Powder-coated cable spacers match the top rail for a cohesive look
- 316 stainless-steel cable available in lengths from 5' to 50'
- Top rail available in 6' and 8' on-center lengths
- Pre-drilled line, corner, and end posts for 36" and 42" heights
- Rail, post, and cable kits sold individually



Top Rail Profile

Available: **Special Order:**



Textured Black | **Textured White** | **Textured Bronze** | **Textured Weathered Brown**

Cable Railing

Low cost railing system with clean, minimalist lines without blocking the view

Posts Kits

Each post kit includes (1) Powder coated aluminum post, welded to (1) aluminum post base, (1) powder coated post base trim, (1) powder coated post cap and skirt, and leveling plates and screws. (10 Cable Holes)

Section	SKU	Actual Size	Item	Unit Size
Horizontal/Line	D39BLKLCRPK	2-1/2" x 2-1/2" x 39" Tall	Textured Black 39" Line Post Kit For Railing Section	42
Horizontal/End	D39BLKECRPK	2-1/2" x 2-1/2" x 39" Tall	Textured Black 39" End Post Kit For Railing Section	42
Horizontal/Corner	D39BLKCCRPK	2-1/2" x 2-1/2" x 39" Tall	Textured Black 39" Corner Post Kit For Railing Section	42
Stair Middle	D49BLKDTRMCPK	2-1/2" x 2-1/2" x 49" Tall	Textured Black 49" Post Kit For Stair Section	42
Stair Bottom	D49BLKSTRBCPK	2-1/2" x 2-1/2" x 49" Tall	Textured Black 49" Post Kit For Stair Section	42

Top Line Railing Kits

Section	SKU	Actual Size	Item	Unit Size
Cable Rail Rectangular -Top 36"x 6' O.C. (Includes 1 spacer with 10 drilled holes)				
Line Top Rail	D6CTRBLK	68.5" Rectangular	Textured Black Line Hardware Kit (1 rail with 2 brackets)	48
Cable Rail Rectangular -Top 36"x 8' O.C. (Includes 2 spacers with 10 drilled holes)				
Line Top Rail	D8CTRBLK	92.5" Rectangular	Textured Black Line Hardware Kit (1 rail with 2 brackets)	48

Top Stair Railing Kits

Section	SKU	Actual Size	Item	Unit Size
Cable Rail Rectangular -Stair Top 6' (Includes 1 stair spacer with 12 drilled holes, cut down for 36")				
Stair Top Rail	D6STRCBLK	72" Rectangular	Textured Black Stair Hardware Kit (1 rail with 2 brackets)	48
Cable Rail Rectangular - Stair Top 8' (Includes 2 stair spacers with 12 drilled holes, cut down for 36")				
Stair Top Rail	D8STRCMBLK	96" Rectangular	Textured Black Stair Hardware Kit (1 rail with 2 brackets)	48

Cable Rail Rope Hardware SS

Cable With Pre-Attached Threaded Stud (with 1 pull - lock fitting, cap, washers, and brass locknut)

Section	SKU	Actual Size	Item	Unit Size
Cable	D5CRRH	0.125" x 5'	Stainless Steel Cable With Pre-Attached Threaded Stud	1
Cable	D10CRRH	0.125" x 10'	Stainless Steel Cable With Pre-Attached Threaded Stud	1
Cable	D15CRRH	0.125" x 15'	Stainless Steel Cable With Pre-Attached Threaded Stud	1
Cable	D20CRRH	0.125" x 20'	Stainless Steel Cable With Pre-Attached Threaded Stud	1
Cable	D25CRRH	0.125" x 25'	Stainless Steel Cable With Pre-Attached Threaded Stud	1
Cable	D30CRRH	0.125" x 30'	Stainless Steel Cable With Pre-Attached Threaded Stud	1
Cable	D40CRRH	0.125" x 40'	Stainless Steel Cable With Pre-Attached Threaded Stud	1
Cable	D50CRRH	0.125" x 50'	Stainless Steel Cable With Pre-Attached Threaded Stud	1

Additional Brackets

Section	SKU	Item	Unit Size
Cable Line Rail Brackets	DT2PCRBLK	Contemporary Rectangular In Line Top Rail Brackets	1
Cable Stair Brackets	DTBLKCSTR	Contemporary Rectangular Stair Top Rail Brackets	1

DECKORATORS RAPID RAIL

An innovative packaged and kitted aluminum railing system that can be easily and quickly installed. Rapid Rail Aluminum Deck Railing offers a modern design with clean lines and a finish coating that resists scratches and corrosion.



- Easy, quick installation
- Modern design with square balusters
- Available in 6' & 8' on-center length when installing with 2-1/2" post
- Code-compliant graspable profile
- Two-piece rails and brackets
- Drop through balusters
- Works with Deckorators 2-1/2" and 4" aluminum posts


Available in:

Textured Black

Textured White

Special Order:

Textured Weathered Brown



Top and Bottom Rail Profile

Rapid Rail

A low-cost and easy-to-install railing system with a clean modern design

Posts Kits

Each post kit includes (1) Powder coated aluminum post, welded to (1) aluminum post base, (1) powder coated post base trim, (1) powder coated post cap and skirt, and leveling plates and screws. Standard 2.5" post bases measure 5" x 5"; oversized 4" post bases measure 6.5" x 6.5".

System	Section	Color	SKU	Actual Size	Item	Unit Size
Rapid Rail	Rail Posts	Black	D39TBLKPK	2-1/2" x 2-1/2" x 39" Tall	Square Black 39" Post Kit For Railing Section	42
Rapid Rail	Stair Posts	Black	D49TBLKPK	2-1/2" x 2-1/2" x 49" Tall	Square Black 49" Post Kit For Stair Section	42
Rapid Rail	4x4 Rail Posts	Black	D4439TBLKPK	4" x 4" x 39" Tall	4x4 Square Black 39" Post Kit For Railing Section	25
Rapid Rail	4x4 Stair Posts	Black	D4449TBLKPK	4" x 4" x 49" Tall	4x4 Square Black 49" Post Kit For Stair Section	25

Railing Kits

System	Section	Color	SKU	Actual Size	Item	Unit Size
Each 6' railing kit includes two 68.75" base rails and two 68.75" cap rails, and fifteen 32.5" balusters, and a small baluster and support/crush block baluster. Includes hardware and brackets.						
Rapid Rail	6' Railing	Black	D6RRTBLK	6' o.c. Rail Section, 36" Tall	Rapid Rail 6' Textured Black Rail	56
Each 8' railing kit includes two 92.75" base rails and two 92.75" cap rails, and twenty one 32.5" balusters and crush block balusters. Includes hardware and brackets.						
Rapid Rail	8' Railing	Black	D8RRTBLK	8' o.c. Rail Section, 36" Tall	Rapid Rail 8' Textured Black Rail	56
Each 6' stair railing kit includes two 68.75" base rails and two 68.75" cap rails, and twelve 32.5" balusters and crush block baluster. Includes hardware and brackets.						
Rapid Rail	6' Stair Railing	Black	D6RRSTTBLK	6' o.c. Rail Section, 36" Tall	Rapid Rail 6' Textured Black Stair Rail	56
Each 8' stair railing kit includes two 89.5" base rails and two 89.5" cap rails, and seventeen 32.5" balusters and crush block balusters. Includes hardware and brackets.						
Rapid Rail	8' Stair Railing	Black	D8RRSTTBLK	8' o.c. Rail Section, 36" Tall	Rapid Rail 8' Textured Black Stair Rail	56

Bracket Template

Rail Bracket Template can be used for both 2.5" x 2.5" and 4" x 4" posts. Also works for both 36" and 42" rail heights.

System	Section	Color	SKU	Item	Unit Size
Rapid Rail	Rail Bracket Template	-	DRRTEMP	Rapid Rail Rail Bracket Template	1

Additional Brackets

System	Section	Color	SKU	Item	Unit Size
Rapid Rail	Rail Brackets	Black	DRRBKTBLK	Horizontal Rail Connector Kit - Black	4 per Pack
Rapid Rail	Stair Brackets	Black	DRRSBKTBLK	Stair Rail Connector Kit - Black	4 per Pack
Rapid Rail	Angle Brackets	Black	DRRABKTBLK	Horizontal Angle Rail Connector Kit - Black	4 per pack

DECKORATORS PRIVACY SCREEN SYSTEM

Deck privacy screen, seamlessly adding definition and privacy, while offering creative freedom to mix and match screens, slats and decking components for a truly unique backyard style.



Deckorators Privacy Screen


Privacy Screen Frame Kits

Each frame kit includes (2) 44" top/bottom frame rails, (2) 72" side frame rails, (4) brackets, (2) .25-.625 x 44" filler strips, (6) .25-.625 x 24" filler strips, (2) .25-.25 x 44" H-Connector strips, (2) .875-.25 x 44" filler strip,(24) 1/2" channel spacers, (24) 5/8" channel spacers, and screws.


Section	SKU	Actual Size	Item	Unit Size
Frame Kit	DPFKBLK	4' x 6' - 72"	Privacy Screen Fence Frame Kit, Textured Black	36
Privacy Panels				
Privacy Panels	DPSPIER	2'x4'	2x4 HDPE Pier Black	8
Privacy Panels	DPSPALM	2'x4'	2x4 HDPE Palm Black	8
Privacy Panels	DPSWICK	2'x4'	2x4 HDPE Wicker Black	8
Privacy Panels	DPSWILD	2'x4'	2x4 HDPE Wildwood Black	8
Boards, for Privacy Slat Inserts				
Privacy Boards	DPSBDG	5/8" x 5-1/2" - 4'	Reversible WPC Board, Gray 4 Pack	32
Privacy Boards	DPSBDB	5/8" x 5-1/2" - 4'	Reversible WPC Board, Brown 4 Pack	32
Privacy Boards	DPSBDS	5/8" x 5-1/2" - 4'	Reversible WPC Board, Slate 4 Pack	32
Post Kit for Privacy Screen Kits				
Privacy Post	DPSPBLK	2.5" x 2.5" - 76"	Post Kit, w/ Cap & Trim, Textured Black	40




Palm



Pier



Wicker



Wildwood

Available in: **Textured Black**

Gray, Brown & Slate





DECKORATORS PORCH FLOORING

A mineral based composite porch flooring board with the look of exotic hardwoods without the maintenance. Deckorators Porch Flooring comes in two colors: Kettle and Chicory. It's a great option for a low maintenance porch flooring.

Available Sizes:

Line	Item	Actual Size	Colors	Material
Porch Flooring	*1 x 4 x 12' T&G*	*7/8" x 3-1/8" x 12'*	*Kettle & Chicory*	*Mineral Based Composite*
Porch Flooring	*1 x 4 x 16' T&G*	*7/8" x 3-1/8" x 16'*	*Kettle & Chicory*	*Mineral Based Composite*
Porch Flooring	*1 x 4 x 12' Solid*	*7/8" x 3-1/2" x 12'*	*Kettle & Chicory*	*Mineral Based Composite*

Available Colors:





Features & Benefits:

-Mineral Based Composite technology

-Virtually zero thermal expansion and contraction

-Incredible strength and durability; virtually impossible to crack and break

-Lightweight easy to work with and install; 35% lighter than traditional wood plastic composites

-Approved for ground contact and water installation

-Won't splinter, sag, chalk, or crack

-Stain and fade-resistant cap stock

-Industry-leading warranty: 50-year Structural, 25-year Stain & Fade, and 25-year Removal & Replacement

ENGINEERED WOOD PRODUCTS



Trus Joist Engineered Wood Products are the #1 rated I-Joist by Builder Magazine, and have been for 15 years running. They are the only brand with a full suite of engineered wood products including I-Joists, LVL Microllam, PSL Parallam, and LSL Timberstrand.

From performance, to assortment, to quality, Trus Joist is the clear market leader and has the proven performance that builders trust nationwide. Additionally, we have a team of five engineers that can help with questions, design, and trouble-shooting from start to finish.

OUR SERVICES

CONSULTING



DESIGN



JOBSITE DELIVERY



ENGINEERED WOOD PRODUCTS

TJI I-JOISTS



Available Sizes:

Item	SKU	Flange	L/360 Span*	L/480 Span*	Lengths	Unit Size
9-1/2" TJI 110	9__TJI110	1-3/4"	17'-2"	15'-6"	12' - 48'	43
11-7/8" TJI 110	11__TJI110	1-3/4"	19'-4"	18'-5"	12' - 48'	43
11-7/8" TJI 210	11__TJI210	2-1/16"	21'-2"	19'-3"	12' - 48'	37
11-7/8" TJI 360	11__TJI360	2-5/16"	23'-2"	19'-8"	12' - 48'	35
11-7/8" TJI 560	11__TJI560	3-1/2"	26'-3"	23'-8"	12' - 48'	23
14" TJI 360	14__TJI360	2-5/16"	26'-3"	23'-8"	12' - 48'	35
14" TJI 560	14__TJI560	3-1/2"	29'-9"	26'-10"	12' - 48'	23
16" TJI 360	16__TJI360	2-5/16"	29'-0"	26'-3"	12' - 48'	35
16" TJI 560	16__TJI560	3-1/2"	32'-11"	29'-3"	12' - 48'	23

**16" O.C. 40 PSF Live Load / 10 PSF Dead Load -- We recommend L/480 for best results*

Features & Benefits:

-The #1 rated I-Joist by Builder Magazine for 15 years running

-LVL flange for superior fastening power and squeak-free floor

-Pre-notched holes for easy to run mechanicals

-Multiple depths and flange widths for any conceivable design

-18” and 20” TJI’s are available on a special-order basis

LVL MICROLLAM



Available Sizes:

Depth	Width	SKU	Lengths	E Value	Overlay	Unit Size
5-1/2"	1-3/4"	5__ML	12'-48'	2.0 E	Watershed	48
7-1/4"	1-3/4"	7__ML	12'-48'	2.0 E	Watershed	36
9-1/4"	1-3/4"	914__ML	12'-48'	2.0 E	Watershed	30
9-1/2"	1-3/4"	9__ML	12'-48'	2.0 E	Watershed	30
11-1/4"	1-3/4"	1114__ML	12'-48'	2.0 E	Watershed	24
11-7/8"	1-3/4"	11__ML	12'-48'	2.0 E	Watershed	24
14"	1-3/4"	14__ML	12'-48'	2.0 E	Watershed	18
16"	1-3/4"	16__ML	12'-48'	2.0 E	Watershed	18
18"	1-3/4"	18__ML	12'-48'	2.0 E	Watershed	12
20"	1-3/4"	20__ML	12'-48'	2.0 E	Watershed	12
24"	1-3/4"	24__ML	12'-48'	2.0 E	Watershed	12

Features & Benefits:

-Waxy watershed overlay finish that beads water and improves long-term storage

-A large mix of depths and lengths for any conceivable application

-Available beam sizing and design by our engineers

TIMBERSTRAND HEADERS & BEAMS



Available Sizes:

Width	Depth	SKU	Lengths	E-Value	Unit Size
1-3/4"	9-1/2"	19_TH	12' - 48'	1.55 E	30
1-3/4"	11-7/8"	111_TH	12' - 48'	1.55 E	24
1-3/4"	14"	114_TH	12' - 48'	1.55 E	18
3-1/2"	5-1/2"	35_TH	12' - 48'	1.55 E	24
3-1/2"	7-1/4"	37_TH	12' - 48'	1.55 E	18
3-1/2"	9-1/2"	39_TH	12' - 48'	1.55 E	15
3-1/2"	11-7/8"	311_TH	12' - 48'	1.55 E	12
3-1/2"	14"	314_TH	12' - 48'	1.55 E	9

Features & Benefits:

-Perfectly straight – no bowing, twisting, or warping

-A less expensive alternative to LVL beams and headers

-A larger allowable hole zone for mechanicals like plumbing and electrical

-Available beam sizing and design by our engineers

TIMBERSTRAND FRAMING



Available Sizes:

Item	SKU	Actual Size	Lengths	E-Value
2 x 4 Stud	*2410458TS*	*1-1/2" x 3-1/2"*	*104-5/8"*	*1.30 E*
2 x 6 Stud	*2610458TS*	*1-1/2" x 5-1/2"*	*104-5/8"*	*1.30 E*
2 x 4 Framing	*24_TS*	*1-1/2" x 3-1/2"*	*12' - 48'*	*1.30 E*
2 x 6 Framing	*26_TS*	*1-1/2" x 5-1/2"*	*12' - 48'*	*1.30 E*
2 x 8 Framing	*28_TS*	*1-1/2" x 7-1/4"*	*12' - 48'*	*1.30 E*
2 x 4 Treated Plate	*2416TSP*	*1-1/2" x 3-1/2"*	*16'*	*1.30 E*
2 x 6 Treated Plate	*2616TSP*	*1-1/2" x 5-1/2"*	*16'*	*1.30 E*

Features & Benefits:

-Perfectly straight – no bowing, twisting, or warping

-A major component in tall walls and two story rooms

-Excellent for kitchens and bathrooms where you need perfectly straight walls

-Helps resist tile, grout, and sheetrock cracks and ensures that cabinets, doors and windows work smoothly and hang straight

PSL PARALLAMS



Available Sizes:

Item	Lengths	Brand	E-Value	Application
3-1/2" x 9-1/4"	8' - 48'	Trus Joist Parallam	2.0 E	Beams
3-1/2" x 9-1/2"	8' - 48'	Trus Joist Parallam	2.0 E	Beams
3-1/2" x 11-1/4"	8' - 48'	Trus Joist Parallam	2.0 E	Beams
3-1/2" x 11-7/8"	8' - 48'	Trus Joist Parallam	2.0 E	Beams
3-1/2" x 14"	8' - 48'	Trus Joist Parallam	2.0 E	Beams
3-1/2" x 16"	8' - 48'	Trus Joist Parallam	2.0 E	Beams
3-1/2" x 18"	8' - 48'	Trus Joist Parallam	2.0 E	Beams
5-1/4" x 9-1/4"	8' - 48'	Trus Joist Parallam	2.0 E	Beams
5-1/4" x 9-1/2"	8' - 48'	Trus Joist Parallam	2.0 E	Beams
5-1/4" x 11-1/4"	8' - 48'	Trus Joist Parallam	2.0 E	Beams
5-1/4" x 11-7/8"	8' - 48'	Trus Joist Parallam	2.0 E	Beams
5-1/4" x 14"	8' - 48'	Trus Joist Parallam	2.0 E	Beams
5-1/4" x 16"	8' - 48'	Trus Joist Parallam	2.0 E	Beams
5-1/4" x 18"	8' - 48'	Trus Joist Parallam	2.0 E	Beams
3-1/2" x 3-1/2"	8' - 48'	Trus Joist Parallam	1.8 E	Columns & Posts
3-1/2" x 5-1/4"	8' - 48'	Trus Joist Parallam	1.8 E	Columns & Posts
3-1/2" x 7"	8' - 48'	Trus Joist Parallam	1.8 E	Columns & Posts
5-1/4" x 5-1/4"	8' - 48'	Trus Joist Parallam	1.8 E	Columns & Posts
5-1/4" x 7"	8' - 48'	Trus Joist Parallam	1.8 E	Columns & Posts
7" x 7"	8' - 48'	Trus Joist Parallam	1.8 E	Columns & Posts

-Parallams are the biggest and strongest beams in the EWP family, and are made using parallel strands of lumber that are pressed and glued to form one solid beam

-One piece install, no need for multiple plys and fastening

DOUGLAS FIR GLULAM BEAMS



Available Sizes:

Size	SKU	Lengths	Design Value	Species	Grade
3-1/2" x 9-1/2"	39__GL	12' - 48'	24F-V4 1.8E	Douglas Fir	Architectural
3-1/2" x 11-7/8"	311__GL	12' - 48'	24F-V4 1.8E	Douglas Fir	Architectural
3-1/2" x 14"	314__GL	12' - 48'	24F-V4 1.8E	Douglas Fir	Architectural
5-1/2" x 9-1/2"	59__GL	12' - 48'	24F-V4 1.8E	Douglas Fir	Architectural
5-1/2" x 11-7/8"	511__GL	12' - 48'	24F-V4 1.8E	Douglas Fir	Architectural
5-1/2" x 14"	514__GL	12' - 48'	24F-V4 1.8E	Douglas Fir	Architectural
5-1/2" x 16"	516__GL	12' - 48'	24F-V4 1.8E	Douglas Fir	Architectural

Features & Benefits:

-Only Glulam that matches dimensional lumber sizes (3-1/2" and 5-1/2")

-Ensures a perfect fit when framing – no sheetrock or structural connection issues

-Only Glulam that has an Architectural appearance

-Sanded face and micro-eased edge, knots and voids are filled

-Takes stains exceptionally well

-Matches Engineered Wood depths for seamless compatibility

-1.9 True E Stress Rating

DOUGLAS FIR TREATED GLULAM BEAMS



Available Sizes:

Size	SKU	Lengths	Design Value	Species	Grade	Treatment
3-1/2" x 9-1/2"	39__TGL	12' - 48'	24F-V4 1.8E	Douglas Fir	Architectural	Hi-Clear II Treated
3-1/2" x 11-7/8"	311__TGL	12' - 48'	24F-V4 1.8E	Douglas Fir	Architectural	Hi-Clear II Treated
3-1/2" x 14"	314__TGL	12' - 48'	24F-V4 1.8E	Douglas Fir	Architectural	Hi-Clear II Treated
3-1/2" x 16"	316__TGL	12' - 48'	24F-V4 1.8E	Douglas Fir	Architectural	Hi-Clear II Treated
5-1/2" x 9-1/2"	59__TGL	12' - 48'	24F-V4 1.8E	Douglas Fir	Architectural	Hi-Clear II Treated
5-1/2" x 11-7/8"	511__TGL	12' - 48'	24F-V4 1.8E	Douglas Fir	Architectural	Hi-Clear II Treated
5-1/2" x 14"	514__TGL	12' - 48'	24F-V4 1.8E	Douglas Fir	Architectural	Hi-Clear II Treated
5-1/2" x 16"	516__TGL	12' - 48'	24F-V4 1.8E	Douglas Fir	Architectural	Hi-Clear II Treated
5-1/2" x 5-1/2"	55__TGL	12' - 48'	24F-V4 1.8E	Douglas Fir	Architectural	Hi-Clear II Treated

Features & Benefits:

-Allows for a one piece install that meets code

-Treated with a honey color stain, leaving a visually appealing and attractive beam

-Can be stained any color using an oil based stain

-Helps you eliminate posts and columns, opening up lower level patios and yard space

-Easier to work with than steel - cuts, nails, and handles just like regular timber

LVL SCAFFOLD PLANK



Available Sizes:

Item	SKU	Actual Size	Design Value	Unit Size	APA & OSHA Certified
LVL Scaffold Plank	*916MLS*	*1-1/2" x 9-1/4" x 16'*	*2.0 E*	*50 pcs*	*Yes*

Features & Benefits:

-APA & OSHA Approved

-2.0E for safe and predictable performance

-Every piece is inspected and machine stress-rated

-End waxed and painted

-Designed for multiple uses with proper care

LSL STAIR STRINGERS AND STEPS



Available Sizes:

Item	SKU	Actual Size	Length	Max 2 Stringer Simple Span
Stair Tread	*SS*	*1" x 11-1/2"*	*16'*	*45"*
11-7/8" Stringer	*11__RB*	*1-1/4" x 11-7/8"*	*16', 20'*	*8' - 4"*
14" Stringer	*1416RB*	*1-1/4" x 14"*	*16'*	*11' - 8"*

Features & Benefits:

-The best performing stair system for quiet, sturdy, and long-lasting stairs

-Engineered wood that is perfectly straight and uniform, and will resist bowing, shrinking, and splitting

-Better nail holding capability that will eliminate squeaky stairs

-Limited product warranty

SHELVING & TREADS





Available Sizes:

Item	Unit Size	Material
3/4 11.25" x 97" Raw Shelving	*136*	*Particleboard*
3/4 11.25" x 145" Raw Shelving	*136*	*Particleboard*
3/4 15.25" x 97" Raw Shelving	*102*	*Particleboard*
3/4 15.25" x 145" Raw Shelving	*102*	*Particleboard*
3/4 23.25" x 145" Raw Shelving	*68*	*Particleboard*

Features & Benefits:

-Engineered for applications that demand physical strength properties to enhance load bearing, fastener holding or precision machining performance.

Available Sizes:

Item	Unit Size	Material
12 x 121 Bullnosed Treads	*56*	*Particleboard*
12 x 145 Bullnosed Treads	*56*	*Particleboard*

Features & Benefits:

-An engineered composite wood product cut into standard widths and lengths with one long edge rounded for ease of carpet installation.

-Interior use only

SIMPSON HANGERS

1-3/4" Width - TJI 110 Series, LVL, Timberstrand

SKU/ Model #	Description
HUS1.81/10	1-3/4"x 9-1/4" Flush Face Mount Hanger Heavy
IUS1.81/9	1-3/4"x 9-1/2" Flush Face Mount Hanger
ITS1.81/9.5	1-3/4"x 9-1/2" Top Mount Hanger
ITS1.81/11.88	1-3/4"x 11-7/8" Top Mount Hanger
IUS1.81/11.88	1-3/4"x 11-7/8" Flush Face Mount
SUR1.81/11	1-3/4"x 11-7/8" Flush Face Mount Hanger Skewed Right
SUL1.81/11	1-3/4"x 11-7/8" Flush Face Mount Hanger Skewed Left
IUS1.81/14	1-3/4"x 14" Flush Face Mount Hanger
ITS1.81/14	1-3/4"x 14" Top Mount Hanger
LSSUI25	1-3/4"x 8-1/2" Slopeable/Skewable Hanger

ITS/MIT Top Mount



2-1/16" - Width TJI 210 Series

IUS2.06/9	2-1/16"x 9-1/2" Flush Face Mount Hanger
ITS2.06/11.88	2-1/16"x11-7/8" Top Mount Hanger
SUL2.1/11	2-1/16"x 11-7/8 Flush Face Mount Skewed Left 45 Deg.
SUR2.1/11	2-1/16"x 11-7/8 Flush Face Mount Skewed Right 45 Deg.
LSSU2.1	2-1/16"x 8-1/2" Slopeable/ Skewable Hanger
MIT4.28	4-1/8"x 11-7/8" Top Mount Double Hanger
HUL4.28/11	4-1/8"x11-7/8" Flush Face Mount Skewed Left 45 Deg.
HUR4.28/11	4-1/8"x11-7/8" Flush Face Mount Skewed Right 45 Deg.

IUS Face Mount



2-5/16" Width - TJI 360 Series

IUS2.37	2-5/16"x 11-7/8" Flush Face Pount Hanger
ITS2.37/11.88	2-5/16"x11-7/8" Top Mount Hanger
MIT3511.88-2	4-5/8"x11-7/8" Top mount Double Hanger
IUS2.37/14	2-5/16"x14" Flush Face Mount Hanger
ITS2.37/14	2-5/16"x 14" Top Mount Hanger
MIT3516	2-5/16"x 16" Top Mount Hanger (optional Nailing holes)
ITS2.37/16	2-5/16"x 16" Top Mount Hanger
SUR2.37/11	2-5/16"x 11-3/16" Flush Face Mount Skewed Right
SUL2.37/16	2-5/16"x 11-3/16" Flush Face Mount Skewed Left
LSSUI35	2-5/16"x 8-1/2" Slopeable/Skewable Hanger

SUL/SUR Face Mount



3-1/2" Width - TJI 560 Series, Double LVL, Timberstrand, Parallam

HHUS410	3-1/2"x 9" Flush Face Mount Hanger (up to 14")
HUC410	3-1/2"x 9-1/4" Flush Face Mount Concealed Hanger
MIT49.5	3-1/2"x 9-1/2" Top Mount Hanger
ITS3.56/11.88	3-1/2"x11-7/8" Top Mount Hanger
MIT411.88	3-1/2"x11-7/8" Top Mount Hanger
MIT414	3-1/2"x14" Top Mount Hanger
MIT416	3-1/2"x 16" Top Mount Hanger
SUR410/45	3-1/2"x 8-1/2" Flush Face Mount Hanger Skewed Right
SUL410/45	3-1/2"x 8-1/2" Flush Face Mount Hanger Skewed Left
LSSU410	3-1/2x 9-1/4 Slopeable/Skeweable Hanger

HHUS Face Mount



5-1/4" Width - Triple LVL, Parallam

HHUS5.50/10	5-1/4"x9" Flush Face Mount Hanger (up to 14")
H85.50/11.88	5-1/4"x 11-7/8" Top Mount Hanger

LAMINATED GLUE-LAM POSTS & COLUMNS





Available Sizes:

Laminated Titan Timbers Glue-Lam Posts & Partially Treated Columns

Item	Lengths	Treated	Stock
3 PLY 2x6 4.13" x 5.38"	*14'-26'*	*BTM 6'*	*Yes*
3 PLY 2x8 4.13" x 7.13"	*16'-26'*	*BTM 6'*	*Special Order*
4 PLY 2x6 5.50" x 5.38"	*16'-26'*	*BTM 6'*	*Yes*
4 PLY 2x8 5.5" x 7.13"	*16'-26'*	*BTM 6'*	*Special Order*

Features & Benefits:

-Titan Timbers Laminated posts consists of .60 CCA treated bases for ground contact and machine stress rated of 1650 SPF Uppers

-Available Non-Treated / Partial Treated / Fully Treated

-50 Year Limited Warranty against decay and delamination

-Manufactured to AITC Standards

-100% usable on job site - no sorting needed

-Technical support for sizing available

-Available with Rafter Ready for easy truss attachment

-Higher design values than nailed columns per NDS 2005



TYPAR HOUSE WRAP



Available Sizes:

Item	Actual Size	Weight/Pallet	Rolls Per Pallet	Usage
9x100 Universal Wrap	9'x100'	1006	40	Residential / Commercial
9x150 Universal Wrap	9'x150'	1270	36	Residential / Commercial
10x100 Universal Wrap	10'x100'	1045	40	Residential / Commercial
10x150 Universal Wrap	10'x150'	1350	34	Residential / Commercial
5'x150' Drain Wrap	5'x150'	690	32	Fast Draining (over 4 stories)
10'x100' Metro Wrap	10'x100'	729	20	Commercial
HD Sealant	10.1oz	11	1296	Doors, Windows, Misc Openings
AT 4" Flashing	4"x75'	23	576	Dry/Wet surfaces - 0-180 degrees F
AT 6" Flashing	6"x75'	23	384	Dry/Wet surfaces - 0-180 degrees F
Butyl 4" Flashing	4"x75'	28.4	432	Pliable Flashing - 30-180 degrees F
Butyl 6" Flashing	6"x75'	28.5	288	Pliable Flashing - 30-180 degrees F
Flex Flashing 6"	6"x75'	27	72	Curved edges, windows, sill plates,etc
Flex Flashing 9"	9"x75'	29	48	Curved edges, windows, sill plates,etc
Tape	1-7/8"x165'	18	1152	Corners, Joints, Seams

Features & Benefits:

-Superior water holdout - blocks water from entering the wall cavity.

-Exceptional moisture vapor transmission (MVT) - it breathes so moisture can escape the wall cavity.

-Superior tear strength - proven to withstand heavy winds and is almost five times stronger than the leading competitive wrap.

-Optimal surfactant and UV resistance - reduces the damaging effects that oils and tannins from cedar siding, cement siding, stucco, brick, and soaps from power washing can have on the system's ability to block bulk moisture penetration; stands up to the beating sun on the job site for up to 6 months without degradation.

EASYTRIM REVEALS



EasyTrim Reveals® are a two-piece aluminum trim system that snaps together to protect your siding. Compatible with a wide range of siding solutions, EasyTrim Reveals® will save you time during installation while providing best-in-class weather protection and durability for the future.

EasyTrim works best with panel siding and provides for a fast and simple installation that provides best-in-class water management, hidden fastening, and NO CAULKING. Builders and developers love EasyTrim because it simply works. It's easy to install, its saves their crews time, and it looks great.

Available Sizes:

Item	Application	SKU	Length	Finish
EZ 1	*Panel Square Outside Corner*	*01EZPR*	*10'*	*Primed*
EZ 12	*Panel 2-Piece Square Outside Corner*	*12EZPR*	*10'*	*Primed*
EZ 13	*Panel Outside Corner*	*13EZPR*	*10'*	*Primed*
EZ 14	*Panel Outside X Corner*	*14EZPR*	*10'*	*Primed*
EZ 3	*Panel Inside Corner*	*03EZPR*	*10'*	*Primed*
EZ 4	*Panel Horizontal Z Trim*	*04EZPR*	*10'*	*Primed*
EZ 5	*Panel Horizontal Reveal H Trim*	*05EZPR*	*10'*	*Primed*
EZ 10	*Panel Horizontal Base B Trim*	*10EZPR*	*10'*	*Primed*
EZ 28	*Panel Window Drip Cap*	*28EZPR*	*10'*	*Primed*
EZ 7	*Panel Vertical 2-Piece U Trim*	*07EZPR*	*10'*	*Primed*
EZ 11	*Panel Vertical 2-Piece U Trim Transition*	*11EZPR*	*10'*	*Primed*
EZ 19	*Panel Vertical 2-Piece Window Jamb*	*19EZPR*	*10'*	*Primed*
EZ 8	*Panel General J Trim 5/16"*	*08EZPR*	*10'*	*Primed*
EZ 9	*Panel Soffit J Trim*	*09EZPR*	*10'*	*Primed*
EZ 40	*Panel General J Trim 3/4"*	*40EZPR*	*10'*	*Primed*
EZ 60	*Perforated Vented Starter Strip*	*60EZPR*	*10'*	*Primed*

EASYTRIM REVEALS

TRIM SYSTEM - LENGTH: 10'

OUTSIDE CORNERS

EZ 1	EZ 12	EZ 13	EZ 14
Square Outside Corner 5/16" Trim	2-Piece Square Outside Corner 5/16" Trim	Arrow Outside Corner 5/16" Trim	X Outside Corner 5/16" Trim

INSIDE CORNERS

EZ 3
Inside Corner 5/16" Trim

HORIZONTAL TRIMS

EZ 4	EZ 5	EZ 10
Horizontal J 5/16" Trim	Horizontal Reveal H 5/16" Trim	Horizontal Base B 5/16" Trim

WINDOW FLASHING

EZ 28
1 3/8" Window Drip Cap Flashing

VERTICAL TRIMS

EZ 7	EZ 11	EZ 19
2-Piece Vertical U 5/16" Trim	2-Piece Vertical U 5/16" to 3/8" Transition Trim	2-Piece Vertical Window Jamb 5/16" Trim

J TRIMS

EZ 8	EZ 9	EZ 40
General J 5/16" Trim	Soffit J 5/16" Trim	General J 3/4" Trim

STARTER STRIP

EZ 60
Perforated Vented Starter Strip Trim (Vinyl)





MIRATEC TRIM

MIRATEC® by JELD-WEN



Available Sizes:

Item	SKU	Actual Size	Lengths	Unit Size	Finish
1 x 2	12BM	0.75" x 2"	16'	168	Primed
1 x 4	14M	0.75" x 3.5"	16'	144	Primed
1 x 6	16M	0.75" x 5.5"	16'	96	Primed
1 x 8	18M	0.75" x 7.25"	16'	72	Primed
1 x 10	110M	0.75" x 9.25"	16'	60	Primed
1 x 12	112M	0.75" x 11.25"	16'	48	Primed
1 x 16	116M	0.75" x 15.5"	16'	30	Primed
5/4 x 4	544M	1" x 3.5"	16'	108	Primed
5/4 x 6	546M	1" x 5.5"	16'	72	Primed
5/4 x 8	548M	1" x 7.25"	16'	54	Primed
5/4 x 10	5410M	1" x 9.25"	16'	45	Primed
5/4 x 12	5412M	1" x 11.25"	16'	36	Primed
5/4 x 16	5416M	1" x 15.5"	16'	24	Primed
5/8 x 4	584M	0.625" x 3.5"	16'	240	Primed

Features & Benefits:

-Industry best 50-year warranty

-Resists moisture, rot and termites


-Half the cost of PVC and other premium composite trims

-Excellent woodgrain finish

AFFINITY PANELIZED STONE

AFFINITY





Available Sizes:

Stone:

Item	Actual Panel Size	Texture	Profile	Box Size
Aspen	*12" High x 24" Wide*	*Ridge Cut & Cliff Ledge*	*Flats & Corners*	*5 Pcs (10 Sq Ft)*
Redwood	*12" High x 24" Wide*	*Ridge Cut & Cliff Ledge*	*Flats & Corners*	*5 Pcs (10 Sq Ft)*
Glacier	*12" High x 24" Wide*	*Ridge Cut & Cliff Ledge*	*Flats & Corners*	*5 Pcs (10 Sq Ft)*
Yukon	*12" High x 24" Wide*	*Ridge Cut & Cliff Ledge*	*Flats & Corners*	*5 Pcs (10 Sq Ft)*

Features & Benefits:

-Superior panel design that virtually eliminates panel seams to the naked eye

-Superb color selection designed specifically for the Midwest

-Intuitive and simple installation

-Bracketed tongue and groove system for seamless panel-to-panel connections

-Can be installed in any weather by any tradesmen

-100% American Made (manufactured in Illinois)

-Zero cut column kits

-Great for Commercial or Residential Projects

-Primarily used in exterior siding, but can also be used for interior fireplaces and accent walls.

AFFINITY PANELIZED STONE

Available Colors and Profiles:



AFFINITY COLUMN KITS



Available Kits:

Zero Cut Column Kit Components

Column Stone Panels:

Item	Actual Panel Size	Texture	Column Height	Box Size
Aspen Column Panels	*12" High x 18.5" Wide*	*Ridge Cut & Cliff Ledge*	*3'*	*12 Pcs (3' Tall Column)*
Redwood Column Panels	*12" High x 18.5" Wide*	*Ridge Cut & Cliff Ledge*	*3'*	*12 Pcs (3' Tall Column)*
Glacier Column Panels	*12" High x 18.5" Wide*	*Ridge Cut & Cliff Ledge*	*3'*	*12 Pcs (3' Tall Column)*
Yukon Column Panels	*12" High x 18.5" Wide*	*Ridge Cut & Cliff Ledge*	*3'*	*12 Pcs (3' Tall Column)*

Column Components:

Item	Actual Size	Color
6 x 6 Pre-Made Post Frame	*14" x 14" x 36" Tall*	-
Post Lag Screws	*7"*	-
6 x 6 Column Cap	*22" x 22"*	*SAN/IVO/GRA/CHA*



Features & Benefits:

-Zero-cut column kits; pre-designed to simply install with no cuts or extra field

-Pre-built two-piece framing column that wraps around 6x6 post

-Finished column measures 20” x 20” x 38” Tall

-Intuitive and simple installation

-Bracketed tongue and groove system for seamless panel to panel connections

-Can be installed in any weather by any tradesmen

AFFINITY ACCESSORIES



Available Accessories:

Accessories:

Item	Actual Size	Color	Box Size
Starter Strip	*10' Long*	-	*Sold Individually*
Wainscot Cap (Top Flange)	*24" Wide*	*Sandstone / Ivory / Gray / Charcoal*	*8 Pcs (16 LF)*
Wainscot Cap (Bottom Flange)	*24" Wide*	*Sandstone / Ivory / Gray / Charcoal*	*8 Pcs (16 LF)*
Hearth Stone	*20" x 20"*	*Sandstone / Ivory / Gray / Charcoal*	*Sold Individually*
Light Block	*8" Wide x 10" High*	*Sandstone / Ivory / Gray / Charcoal*	*Sold Individually*
Single Receptacle Block	*6" Wide x 8" High*	*Sandstone / Ivory / Gray / Charcoal*	*Sold Individually*
Double Receptacle Block	*8" Wide x 8" High*	*Sandstone / Ivory / Gray / Charcoal*	*Sold Individually*
Hose Bib	*5" Wide x 5" High*	*Sandstone / Ivory / Gray / Charcoal*	*Sold Individually*
Metal Edge Trim	*2" x 2" x 98"*	*Sandstone / Ivory / Gray / Charcoal*	*Sold Individually*
Affinity Screws	*1-5/8"*	-	*100 / 500*

FASTPLANK ALUMINUM SIDING



Available Sizes:

Siding & Trim

Item	Application	Size	Unit of Sale
6" Plank	*Siding*	*6" x 16'*	*6 Pcs*
Inside/Outside Corner	*Corner Trim*	*12'*	*1 Pc*
Two Piece J Trim	*J Trim*	*12'*	*1 Pc*
Two Piece Vertical Trim	*Intermediate Trim*	*12'*	*1 Pc*
One Piece J Trim	*Window/Door Trim*	*12'*	*1 Pc*
Perforated Starter	*Starter Strip*	*12'*	*1 Pc*

Connectors

Item	Application	Box Size
Wall Clip Connecter	*Siding Clip*	*100 Pcs*
Plank Connecter	*Horizontal Plank Connector*	*50 Pcs*
Plank Backer	*Bottom & Top Edge Backer*	*50 Pcs*
Wood Screw #10	*Screws*	*250 Pcs*



Features & Benefits:

-Extraordinary long-term durability and performance

-Made with a thick and high-quality aluminum

-Fantastic design for intuitive, easy, and fast installation

-Modern colors and look

-Excellent for commercial buildings

WOODTONE RUSTICSERIES™

RusticSeries™ Lap is the original two-tone lap siding option; Combining the natural warmth and beauty of wood with the durability of fiber cement and composite products.



Available Sizes:

Brand	Item	SKU	Actual Size	Coverage	Texture	Unit of Sale
Woodtone RusticSeries™	*Lap Siding*	*WTPLK__8*	*8.25" x 12'*	*15 Pcs/Sq*	*Cedarmill*	*4 Pcs*
Woodtone RusticSeries™	*Cedarmill Panels*	*WTPNLCM10__*	*4' x 10'*	*2.5 Pcs/Sq*	*Cedarmill*	*1 Pc*
Woodtone RusticSeries™	*Rustic Battens*	*442RSWT__*	*3/4" x 2.5" x 12'*	-	*Cedarmill*	*1 Pc*

Stocking Colors:



Features & Benefits:

-Composite siding with the appearance of wood

-Two-tone factory coated for consistency and durability

-Lap siding, Cedarmill Panels, and Rustic Battens profiles available

-20-year coating warranty

BENDERBOARD CONCRETE FORM



Available Sizes:

Item	Thickness	Size	Unit Size	Species
12" x 16' Benderboard	*1/4"*	*12" x 16'*	*200*	*Hardboard*

Features & Benefits:

-Flexible and bendable for curves, radiuses, and bends

-Full 16' lengths

-Hardboard surface for a smooth matte concrete finish

-Competitively priced and very affordable

LITE BAR



Available Sizes:

Item	SKU	Thickness	Length	Weight	Bundle Size
#4 LiteBar	*71620GFRP*	*7/16"*	*20'*	*2.5 lbs/stick*	*50 pcs*

Features & Benefits:

-Less Cracks

-2x Stronger than Steel

-7x Lighter than Steel

-Reduced Labor Cost

-Less Physical Strain





Only 2 ½ lbs per 20' stick!



SPECIAL ORDER

LITE DECK



LiteDeck SRS



LiteDeck® SRS (Steel Rib System) is comprised of high density EPS foam decking and 18 gauge galvanneal. LiteDeck® SRS comes assembled in custom lengths and can be used for large clear spans.

LiteDeck WRS



A carpenter friendly wood rib option is available. The wood rib can be removed after placement of concrete to be reused within the construction of the structure. Custom designs and pre-assembly are also options.

LITE STAKE



Available Sizes:

Item	SKU	Thickness	Length	Weight	Bundle Size
18" LiteStake	*LITESTAKE*	*3/4" Dia*	*18"*	*10 oz*	*35 pcs*



Features & Benefits:

-Lightweight - 20% the weight of steel


-Easy to Cut - Quickly cut to length with any job site saw.

-Heat Resistant - Stays cool in hot weather

-Non-Corrosive - Will not rust of decay













FLEXX BOARD



Available Sizes:

Item	SKU	Thickness	Length	Weight	Bundle Size
1" Liteform	*L1INS2*	*1"*	*4x8*	*4.98 lbs ea*	*96 pcs*
1-1/2" Liteform	*L15INS2*	*1-1/2"*	*4x8*	*7.2 lbs ea*	*64 pcs*
2" Liteform	*L2INS2*	*2"*	*4x8*	*9.95 lbs ea*	*48 pcs*

Features & Benefits:

-Lightweight - 20% the weight of steel

-Easy to Cut - Quickly cut to length with any job site saw.

-Heat Resistant - Stays cool in hot weather

-Non-Corrosive - Will not rust of decay

Bonds to Concrete!



LITE FORM ICF



Available Sizes:

Item	SKU	Thickness	Length	Weight
8" ICF Block	*LF08ICF*	*8"*	*4'*	*7.27 lbs ea*
8" RH Corner	*LF08RICF*	*8"*	*4'*	*9.48 lbs ea*
8" LH Corner	*LF08LICF*	*8"*	*4'*	*9.48 lbs ea*

Features & Benefits:

-Energy Efficiency, R-23 or more. No air leakage. High mass walls.
-Affordable, Factory direct pricing. Energy Tax Incentives.
-Sounds Retention, Equal to commercial “privacy” walls - STC 53 or more.
Wind Resistance, Resists 200 mph deadly winds and debris.
-Fire Retardant, Preferred for “fire” walls 2-hour Fire Rating on Concrete.
-Mold Resistance, Forms, and concrete do not contribute to mold growth.
-Environmental, conserve natural resources, and reduce fuel consumption.



















(402) 415-0080
13840 L Street Omaha, NE 68137
www.fp-supply.com